

# European Journal of Vascular & Endovascular Surgery

Volume 47 • Issue 3 • 2014  
**CONTENTS**

## IN MEMORIAM

- 217 Roy Greenberg 9 November 1964–7 December 2013  
*G. Hamilton*

## EDITORIAL

- 218 Periscopes, Snorkels and Chimneys: No Smoke Without Fire?  
*A. Chaudhuri*

## CAROTID DISEASE

- 221 Comparison of Cognitive Function after Carotid Artery Stenting versus Carotid Endarterectomy  
*K.I. Paraskevas, C. Lazaridis, C.M. Andrews, F.J. Veith and A.D. Giannoukas*  
*No systematic differences in cognitive function, but future studies need to be standardized.*

### Invited Commentary

- 232 Commentary on “Comparison of Cognitive Function after Carotid Artery Stenting versus Carotid Endarterectomy”  
*L.K. Rathenborg*
- 233 Delay to Carotid Endarterectomy in Patients with Symptomatic Carotid Artery Stenosis  
*A.G. den Hartog, F.L. Moll, H.B. van der Worp, R.G. Hoff, L.J. Kappelle and G.J. de Borst*  
*First event, index event, or most recent event? How should delay to CEA be defined?*

## AORTIC DISEASE

- 240 A Review of Current Reporting of Abdominal Aortic Aneurysm Mortality and Prevalence in the Literature  
*P.W. Stather, D.A. Sidloff, I.A. Rhema, E. Choke, M.J. Bown and R.D. Sayers*  
*Only one third of papers citing AAA prevalence quoted correct data from the referenced article!*
- 243 Diabetes and Abdominal Aortic Aneurysms  
*P. De Rango, L. Farchioni, B. Fiorucci and M. Lenti*  
*Diabetic patients had lower AAA prevalence and expansion rates, but higher operative and long-term mortality.*
- 262 Displacement Forces in Iliac Landing Zones and Stent Graft Interconnections in Endovascular Aortic Repair: An Experimental Study  
*H. Roos, M. Ghaffari, M. Falkenberg, V. Chernoray, A. Jeppsson and H. Nilsson*  
*Flow-induced displacement forces affecting the distal stent graft increased with graft angulation and blood pressure.*
- 268 **Editor's Choice** – Use of Disposable Radiation-absorbing Surgical Drapes Results in Significant Dose Reduction During EVAR Procedures  
*C. Kloeze, E.G. Klompenhouwer, P.J.M. Brands, M.R.H.M. van Sambeek, P.W.M. Cuypers and J.A.W. Teijink*  
*Disposable radiation-absorbing drapes significantly reduced radiation exposure to the operating surgeon and theatre staff.*

## CONTENTS—continued

- 273 High Prevalence of Abdominal Aortic Aneurysm in Patients with Three-vessel Coronary Artery Disease  
*R. Durieux, H. Van Damme, N. Labropoulos, A. Yazici, V. Legrand, A. Albert, J.-O. Defraigne and N. Sakalihan*

*Significant (three-vessel) coronary artery disease was associated with a 14% prevalence of AAA.*

- 279 Management of Abdominal Compartment Syndrome and the Open Abdomen  
*M. Björck and A. Wanhainen*

*There is now much greater clarity regarding definitions, investigation, and management of abdominal compartment syndrome.*

- 288 A Novel Strategy to Translate the Biomechanical Rupture Risk of Abdominal Aortic Aneurysms to their Equivalent Diameter Risk: Method and Retrospective Validation  
*T.C. Gasser, A. Nchimi, J. Swedenborg, J. Roy, N. Sakalihan, D. Böckler and A. Hyhlik-Dürr*

*Complex computational analyses of biomechanical rupture risk assessment, but most will be drawn to the finding that a 50mm AAA in females has a similar rupture risk as a 63mm AAA in males.*

- 296 Safety of Chronic Anticoagulation Therapy After Endovascular Abdominal Aneurysm Repair (EVAR)  
**CME** *P. De Rango, F. Verzini, G. Parlani, E. Cieri, G. Simonte, L. Farchioni, G. Isernia and P. Cao*

*Post-operative anticoagulation after EVAR was associated with significant increases in endoleaks, reinterventions, and conversions.*

### PERIPHERAL ARTERIAL DISEASE

- 304 A Randomised Controlled Trial of Supervised Exercise Regimens and their Impact on Walking Performance, Skeletal Muscle Mass and Calpain Activity in Patients with Intermittent Claudication  
*C.L. Delaney, M.D. Miller, T.K. Chataway and J.I. Spark*

*Treadmill-based exercise therapy may ultimately be detrimental because of induction of Calpain proteases which reduce skeletal muscle mass.*

- 311 Reliability of Laser Doppler Flowmetry Curve Reading for Measurement of Toe and Ankle Pressures: Intra- and Inter-observer Variation  
*C. Høyer, J.P.D. Paludan, S. Pavar, J.A. Biurrin Manresa and L.J. Petersen*

*Laser Doppler flowmetry had high intra- and inter-observer agreement, but lower toe-pressure reproducibility in patients with diabetes and renal impairment.*

- 319 External Validation of the “Walking Estimated Limitation Calculated by History” (WELCH) Questionnaire in Patients with Claudication  
*P. Abraham, R. Godet, M. Harbonnier, D. Laneelle, G. Leftheriotis and N. Ouedraogo*

*Three questions relating to the burden of claudication had a moderate correlation with treadmill walking distances.*

- 326 Selected Abstracts from the March Issue of the Journal of Vascular Surgery

- 330 EJVES Extra Abstract

- 332 Forthcoming Events

**Editor's Choice:** This paper has been selected by the Editor to be made available online as Open Access.



To access continuing medical education questions on this paper, please go to [www.vascular education.com](http://www.vascular education.com) and click on 'CME'